

## Requirements for Tree Disposition and Landscape Plans

A tree disposition and/or landscape plan set, prepared by a professional, licensed or registered Landscape Architect in the State of Florida shall be submitted for review; included within the drawings-all existing trees/palms drawn to scale, identifying species type, DBH, height, specify whether such trees/palms are to remain, to be removed or to be relocated.

For those Single Family Applications with **five (5) trees or less**, to be removed and/or relocated, an Aerial view (or screenshot) of the property, indicating the approximate location of the tree(s) will suffice. Also, an aerial view of the proposed planting location, specifying the quantity of trees to be planted, the name of the tree(s), their Height, spread and caliper.

Minimum **12'ft height, 2" in caliper, 6'ft canopy spread**

Minimum **16'ft height, 4" in caliper, 8'ft canopy spread**

A minimum of 50 percent of all replacement trees planted shall be native to South Florida.

For trees to count as mitigation they may not be planted as a hedge.

Recommended Spacings:

- 15'-20' on center spacing for **Large Trees**
- 12'-15' on center spacing for **Medium Trees**
- 10' on center spacing for **Small Trees**

**Tree species diversity chart:**

<b>Required number of trees</b>	<b>Required minimum number of species</b>
01—10	2
11-20	3
21-30	4
31-40	5
41 or greater	6

### TREE REPLACEMENT CHART

Total diameter of tree(s) to be removed (sum of inches at DBH)	Total number of replacement trees required (where each replacement tree is a minimum of 2" DBH x 6' spread in canopy x 12' in height)	OR	Total number of replacement trees required (where each replacement tree is a minimum of 4" DBH x 8' spread in canopy x 16' in height)	OR	Contribution to Tree Trust Fund
2"—3"	1	or	0	or	\$1,000.00
4"—6"	2	or	1	or	\$2,000.00
7"—12"	4	or	2	or	\$4,000.00
13"—18"	6	or	3	or	\$6,000.00
19"—24"	8	or	4	or	\$8,000.00
25"—30"	10	or	5	or	\$10,000.00
31"—36"	12	or	6	or	\$12,000.00
37"—42"	14	or	7	or	\$14,000.00
43"—48"	16	or	8	or	\$16,000.00
49"—60"	20	or	10	or	\$20,000.00

\*Up to **30%** of the 12' replacement tree requirement may be met by planting native species within private property, with a minimum height of 10' and 1.5" Caliper at time of planting.

\* The removal of a palm shall be replaced with one canopy tree at 12 feet overall height with a two-inch DBH.